

# plain fittings mm sizes



## Tee 90°



Size	Code	Price
16	11 122 305	2.00
20	11 122 306	2.39
25	11 122 307	3.33
32	11 122 308	4.59
40	11 122 309	6.61
50	11 122 310	9.70
63	11 122 311	14.83
75	11 122 312	25.66
90	11 122 313	43.27
110	11 122 314	63.50
125	11 122 315	125.77
140	11 122 316	168.62
160	11 122 317	221.92
200	11 122 318	324.03
225	11 122 319	346.00
250	11 122 320	599.00
315	11 122 323	897.58

## Reducing Tee 90°



Size	Code	Price
25x20	11 124 415	3.61
32x20	11 124 418	5.00
32x25	11 124 419	6.01
40x20	11 124 421	7.34
40x25	11 124 422	8.21
50x20	11 124 424	10.60
50x25	11 124 425	10.60
50x32	11 124 426	10.60
63x25	11 124 429	16.40
63x32	11 124 430	16.40
75x32	11 124 435	35.04
75x40	11 124 436	35.04
75x50	11 124 437	35.04
75x63	11 124 438	35.04
90x40	11 124 441	49.50
90x50	11 124 442	49.51
90x63	11 124 443	49.50
90x75	11 124 444	49.51
110x50	11 124 448	79.07
110x63	11 124 449	79.08
110x75	11 124 450	79.08
110x90	11 124 451	79.08

## Swept Tee 90°



Size	Code	Price
32	11 148 308	8.99
50	11 148 310	15.20
63	11 148 311	22.43
75	11 148 312	37.66
110	11 148 314	99.94

## Tee 45°



Size	Code	Price
20	11 418 306	10.72
25	11 418 307	11.31
32	11 418 308	12.82
40	11 418 309	15.52
50	11 418 310	19.43
63	11 418 311	29.65



### Pressure Ratings

All Durapipe metric ABS fittings are suitable for continuous use at pressures up to 10 bar at 20°C.

## Pipe Availability

We typically hold over  
**120 miles of pipe**  
in stock for immediate despatch





## Elbow 90°



Size	Code	Price
16	11 115 305	1.87
20	11 115 306	2.11
25	11 115 307	2.50
32	11 115 308	3.50
40	11 115 309	5.93
50	11 115 310	7.71
63	11 115 311	11.71
75	11 115 312	22.42
90	11 115 313	33.65
110	11 115 314	50.26
125	11 115 315	94.34
140	11 115 316	115.96
160	11 115 317	202.27
200	11 115 318	284.28
225	11 115 319	310.63
250	11 115 320	513.43
315	11 115 323	764.66

## Elbow 45°



Size	Code	Price
16	11 119 305	3.51
20	11 119 306	4.03
25	11 119 307	4.11
32	11 119 308	5.11
40	11 119 309	7.50
50	11 119 310	9.31
63	11 119 311	12.91
75	11 119 312	20.43
90	11 119 313	30.43
110	11 119 314	63.08
125	11 119 315	95.90
140	11 119 316	107.15
160	11 119 317	130.76
200	11 119 318	217.18
225	11 119 319	281.40
250	11 119 320	365.03
315	11 119 323	695.49

## Bend 90°



Size	Code	Price
20	11 118 306	8.11
25	11 118 307	9.62
32	11 118 308	13.20
40	11 118 309	19.13
50	11 118 310	23.83
63	11 118 311	31.44
75	11 118 312	62.49
90	11 118 313	80.32
110	11 118 314	133.00

## Bend 90°

Long Radius



Size	Code	Price
125	11 309 315	195.47
140	11 309 316	355.49
160	11 309 317	374.51
200	11 309 318	634.67
225	11 309 319	938.63

## Bend 45°

Long Radius



Size	Code	Price
125	11 310 315	257.66
140	11 310 316	299.19
160	11 310 317	543.05
200	11 310 318	964.08
225	11 310 319	1425.83

# plain fittings mm sizes

## Socket



Size	Code	Price
16	11 100 305	1.42
20	11 100 306	1.54
25	11 100 307	1.72
32	11 100 308	2.00
40	11 100 309	3.51
50	11 100 310	4.22
63	11 100 311	5.93
75	11 100 312	12.91
90	11 100 313	23.83
110	11 100 314	33.82
125	11 100 315	53.68
140	11 100 316	66.30
160	11 100 317	84.51
200	11 100 318	144.70
225	11 100 319	168.79
250	11 100 320	305.89
315	11 100 323	434.22


## Reducing Socket



Size	Code	Price
25x20/16	11 114 412	1.42
32x25/20	11 114 415	1.99
40x32/25	11 114 419	2.31
50x40/32	11 114 423	3.33
63x50/40	11 114 427	4.90
75x63/50	11 114 432	13.13
90x75/63	11 114 438	17.32
110x90/75	11 114 444	22.26
125x110/90	11 114 451	33.02
140x125/110	11 114 459	58.45
160x140/125	11 114 467	79.72
200x160/140	11 114 476	121.57
225x200/160	11 114 487	172.23

## Adaptor Socket

Inch x mm



Size	Code	Price
1/2x20	11 345 102	2.11
3/4x25	11 345 103	2.10
1x32	11 345 104	2.62
1 1/4x40	11 345 105	3.92
1 1/2x50	11 345 106	5.69
2x63	11 345 107	12.91
3x90	11 345 109	23.63
4x110	11 345 110	38.24
6x160	11 345 112	88.72

## Reducing Bush



Size	Code	Price
20x16	11 109 412	1.36
25x20	11 109 415	1.72
32x16	11 109 417	2.20
32x25	11 109 419	2.19
40x32	11 109 423	2.91
50x20	11 109 424	3.80
50x25	11 109 425	3.80
50x32	11 109 426	3.80
50x40	11 109 427	3.80
63x25	11 109 429	4.90
63x32	11 109 430	4.90
63x50	11 109 432	4.90
75x63	11 109 438	8.99
90x50	11 109 442	14.13
90x63	11 109 443	14.12
90x75	11 109 444	15.42
110x63	11 109 449	19.44
110x90	11 109 451	19.44
125x110	11 109 459	34.26
140x125	11 109 467	54.28
160x90	11 109 473	59.49
160x110	11 109 474	59.49
160x140	11 109 476	73.51
200x160	11 109 487	86.03
225x160	11 109 495	123.11
225x200	11 109 496	123.11
250x225	11 109 499	325.90
315x250	11 109 503	374.13

## Union

EPDM O-Ring



Size	Code	Price
16	11 205 305	6.91
20	11 205 306	8.32
25	11 205 307	8.99
32	11 205 308	12.10
40	11 205 309	14.83
50	11 205 310	20.43
63	11 205 311	26.64
75	11 205 312	64.47
90	11 205 313	98.73
110	11 205 314	127.16

## Cap



Size	Code	Price
16	11 149 305	1.36
20	11 149 306	1.62
25	11 149 307	1.86
32	11 149 308	2.20
40	11 149 309	3.51
50	11 149 310	5.69
63	11 149 311	7.01
75	11 149 312	16.62
90	11 149 313	21.22
110	11 149 314	32.44

## Union

FPM O-Ring



Size	Code	Price
16	11 204 305	7.33
20	11 204 306	8.90
25	11 204 307	9.57
32	11 204 308	12.89
40	11 204 309	15.74
50	11 204 310	21.88
63	11 204 311	28.38
75	11 204 312	74.14
90	11 204 313	113.57
110	11 204 314	146.25

## Stub Flange


Serrated Face



Size	Code	Price
16	11 135 305	1.70
20	11 135 306	1.82
25	11 135 307	1.96
32	11 135 308	2.54
40	11 135 309	4.03
50	11 135 310	6.61
63	11 135 311	9.70
75	11 135 312	15.42
90	11 135 313	19.01
110	11 135 314	24.64
125	11 135 315	48.89
140	11 135 316	56.46
160	11 135 317	63.89
200	11 135 318	65.58
225	11 135 319	127.70
250	11 135 320	220.87
315	11 135 323	259.62

## Blind Flange

Drilled BS4504 PN10/16



Size	Code	Price
32	11 323 308	23.44
40	11 323 309	25.44
50	11 323 310	26.64
63	11 323 311	30.03
75	11 323 312	42.28
90	11 323 313	52.29
110	11 323 314	68.50
125	11 323 315	94.13
140	11 323 316	102.14
160	11 323 317	130.97

## Stub Gasket

EPDM



Size	Code	Price
16	861-_-003	0.47
20	861-_-005	0.47
25	861-_-007	0.55
32	861-_-010	0.60
40	861-_-012	0.75
50	861-_-015	0.91
63	861-_-020	1.56
75	861-_-025	1.91
90	861-_-030	2.05
110	861-_-040	2.98
125	861-_-125	3.84
140	861-_-051	3.84
160	861-_-061	4.40
200	861-_-082	8.73
225	861-_-081	8.73
250	861-_-101	10.70
315	861-_-120	12.13

Complete code when ordering  
Insert 'ISO' for NP10/16; 'A' for ANSI  
150; 'E' for Table D/E

## Flange Pressure Ratings

Not all ABS flanges carry the same pressure rating as the pipe.

This is the maximum working pressure of the flange at 20°C:-

BS 10 Table D: 100 psi (6.9 bar)

BS 10 Table E: 200 psi (13.8 bar)

BS 4504 PN10: 10 bar

BS 4504 PN16: 16 bar

ANSI 150: 10 bar

Take care to select the correct flange for the job.

## Stub Gasket

FPM



Size	Code	Price
16	862-_-003	2.21
20	862-_-005	2.21
25	862-_-007	3.28
32	862-_-010	4.33
40	862-_-012	6.94
50	862-_-015	7.59
63	862-_-020	10.00
75	862-_-025	14.47
90	862-_-030	18.88
110	862-_-040	32.21
125	862-_-125	34.03
140	862-_-051	53.75
160	862-_-061	53.75
200	862-_-082	64.38
225	862-_-081	64.38
250	862-_-101	87.63
315	862-_-120	91.48

Complete code when ordering  
Insert 'ISO' for NP10/16; 'A' for ANSI  
150; 'E' for Table D/E

## Gasket

EPDM - full face



Size	Code	Price
16	863-_-003	1.56
20	863-_-005	1.64
25	863-_-007	1.85
32	863-_-010	2.21
40	863-_-012	2.63
50	863-_-015	3.12
63	863-_-020	3.84
75	863-_-025	4.40
90	863-_-030	5.39
110	863-_-040	7.53
125	863-_-125	7.73
140	863-_-051	7.73
160	863-_-061	12.13
200	863-_-082	14.33
225	863-_-081	14.33
250	863-_-101	24.12
315	863-_-120	33.46

Complete code when ordering  
Insert 'ISO' for NP10/16; 'A' for ANSI  
150; 'E' for Table D/E

## Gasket

FPM - full face



Size	Code	Price
16	864-_-003	13.04
20	864-_-005	13.04
25	864-_-007	15.03
32	864-_-010	18.72
40	864-_-012	20.58
50	864-_-015	24.38
63	864-_-020	31.34
75	864-_-025	38.38
90	864-_-030	44.39
110	864-_-040	60.70
125	864-_-125	90.67
140	864-_-051	90.67
160	864-_-061	98.71
200	864-_-082	107.51
225	864-_-081	107.51
250	864-_-101	129.78
315	864-_-120	168.05

Complete code when ordering  
Insert 'ISO' for NP10/16; 'A' for ANSI  
150; 'E' for Table D/E



## Backing Ring NP10/16

Galvanised Mild Steel

Size	Code	Price
16	860-003-12NP	6.10
20	860-005-12NP	6.10
25	860-007-12NP	6.46
32	860-010-12NP	7.67
40	860-012-12NP	8.15
50	860-015-12NP	8.94
63	860-020-11NP	12.63
75	860-025-11NP	17.29
90	860-030-11NP	20.00
110	860-040-11NP	25.58
125	860-125-12NP	36.28
140	860-050-11NP	35.61
160	860-060-13NP	40.60
200*	860-080-14N	57.09
225*	860-225-12N	56.03
250*	860-100-14N	80.78
315*	860-120-14N	109.81

\*NP10 only



## Valve Support Plate

Galvanised Mild Steel- Drilled  
NP10/16

Size	Code	Price
16	31 459 305	14.50
20	31 459 306	15.72
25	31 459 307	16.38
32	31 459 308	17.71
50	31 459 310	24.54
63	31 459 311	27.91
75	31 459 312	30.31
90	31 459 313	37.65
110	31 459 314	44.53



## Backing Ring ANSI 150

Galvanised Mild Steel

Size	Code	Price
20	860-005-12A	6.10
25	860-007-12A	6.46
32	860-010-12A	7.67
40	860-012-12A	8.15
50	860-015-12A	8.94
63	860-020-11A	12.63
75	860-025-11A	17.29
90	860-030-11A	20.00
110	860-040-11A	25.58

### Will it be in stock?

Last year we shipped more than **25,000** consignments, and more than


# 95%

were complete, first time!



## Union

Plain Socket x Brass BSP Female Thread



Size	Code	Price
16x <sup>3</sup> / <sub>8</sub>	11 216 305	10.10
20x <sup>1</sup> / <sub>2</sub>	11 216 306	12.10
25x <sup>3</sup> / <sub>4</sub>	11 216 307	17.73
32x1	11 216 308	20.43
40x1 <sup>1</sup> / <sub>4</sub>	11 216 309	28.24
50x1 <sup>1</sup> / <sub>2</sub>	11 216 310	39.01
63x2	11 216 311	58.89

## Union

Plain Socket x Brass BSP Male Thread



Size	Code	Price
16x <sup>3</sup> / <sub>8</sub>	11 217 305	10.40
20x <sup>1</sup> / <sub>2</sub>	11 217 306	12.29
25x <sup>3</sup> / <sub>4</sub>	11 217 307	17.82
32x1	11 217 308	20.43
40x1 <sup>1</sup> / <sub>4</sub>	11 217 309	29.05
50x1 <sup>1</sup> / <sub>2</sub>	11 217 310	39.45
63x2	11 217 311	61.47

## PTFE Tape

BS7786

Roll Size: 12m x 12m x 0.075mm  
Order Code: 767-120  
Price: 0.82



## Adaptor

Plain Spigot/Socket x BSP Male Thread



Size	Code	Price
16/12x <sup>3</sup> / <sub>8</sub>	11 151 331	1.92
20/16x <sup>3</sup> / <sub>8</sub>	11 151 332	2.62
20/16x <sup>1</sup> / <sub>2</sub>	11 151 333	2.62
25/20x <sup>1</sup> / <sub>2</sub>	11 151 334	2.81
25/20x <sup>3</sup> / <sub>4</sub>	11 151 335	2.81
32/25x <sup>1</sup> / <sub>2</sub>	11 151 352	4.23
32/25x <sup>3</sup> / <sub>4</sub>	11 151 336	4.23
32/25x1	11 151 337	4.23
40/32x1	11 151 338	6.00
40/32x1 <sup>1</sup> / <sub>4</sub>	11 151 339	6.01
50/40x1 <sup>1</sup> / <sub>4</sub>	11 151 340	8.11
50/40x1 <sup>1</sup> / <sub>2</sub>	11 151 341	8.11
63/50x1 <sup>1</sup> / <sub>2</sub>	11 151 342	11.21
63/50x2	11 151 343	11.21
75/63x2	11 151 345	18.65

## Adaptor

Plain Spigot/Socket x BSP Female Thread



Size	Code	Price
16/12x <sup>3</sup> / <sub>8</sub>	11 153 331	3.80
20/16x <sup>1</sup> / <sub>2</sub>	11 153 333	4.50
25/20x <sup>3</sup> / <sub>4</sub>	11 153 335	5.39
32/25x1	11 153 337	6.48
40/32x1 <sup>1</sup> / <sub>4</sub>	11 153 339	8.11
50/40x1 <sup>1</sup> / <sub>2</sub>	11 153 341	10.82
63/50x2	11 153 343	13.20

## Hose Adaptor

Size	Code	Price
16	11 158 305	1.62
20	11 158 306	2.31
25	11 158 307	2.49
32	11 158 308	2.81

## Fast Delivery

We deliver using our own dedicated vehicles or next day carrier. Using our standard delivery service you can expect to receive your order within 24 hours - to your warehouse, factory or job-site

