

### Tee 90°



Size	Code	Price
20	11 056 0020 07	2.57
25	11 056 0025 07	2.93
32	11 056 0032 07	3.40
40	11 056 0040 07	4.25
50	11 056 0050 07	7.10
63	11 056 0063 07	10.24
75	11 056 0075 07	25.34
90	11 056 0090 07	37.72
110	11 056 0110 07	46.91

### Reducing Tee 90°



25/20	11 055 2520 07	3.96
32/20	11 055 3220 07	4.87
32/25	11 055 3225 07	4.87
40/20	11 055 4020 07	5.51
40/25	11 055 4025 07	5.51
40/32	11 055 4032 07	5.51
50/20	11 055 5020 07	8.90
50/25	11 055 5025 07	8.90
50/32	11 055 5032 07	8.90
50/40	11 055 5040 07	8.90
63/25	11 055 6325 07	13.01
63/32	11 055 6332 07	13.01
63/40	11 055 6340 07	13.01
63/50	11 055 6350 07	13.01

### Elbow 90°



20	11 051 0020 07	2.22
25	11 051 0025 07	2.72
32	11 051 0032 07	3.28
40	11 051 0040 07	4.12
50	11 051 0050 07	7.59
63	11 051 0063 07	9.88
75	11 051 0075 07	20.88
90	11 051 0090 07	26.31
110	11 051 0110 07	38.14

### Elbow 45°



20	11 050 0020 07	2.86
25	11 050 0025 07	3.40
32	11 050 0032 07	3.91
40	11 050 0040 07	5.02
50	11 050 0050 07	6.89
63	11 050 0063 07	8.84
75	11 050 0075 07	19.49
90	11 050 0090 07	24.36
110	11 050 0110 07	38.97

### Socket



20	11 053 0020 07	1.46
25	11 053 0025 07	1.54
32	11 053 0032 07	2.02
40	11 053 0040 07	2.57
50	11 053 0050 07	4.32
63	11 053 0063 07	7.04
75	11 053 0075 07	11.48
90	11 053 0090 07	14.48
110	11 053 0110 07	22.55



### Reducer

Spigot x Socket

Size	Code	Price
25/20	11 057 2520 07	2.37
32/20	11 057 3220 07	2.93
32/25	11 057 3225 07	2.93
40/20	11 057 4020 07	3.49
40/25	11 057 4025 07	3.49
40/32	11 057 4032 07	3.49
50/20	11 057 5020 07	4.04
50/25	11 057 5025 07	4.04
50/32	11 057 5032 07	4.04
50/40	11 057 5040 07	4.04
63/25	11 057 6325 07	5.57
63/32	11 057 6332 07	5.57
63/40	11 057 6340 07	5.57
63/50	11 057 6350 07	5.57
75/63	11 057 7563 07	9.75
90/63	11 057 9063 07	13.57
90/75	11 057 9075 07	13.57
110/63	11 057 1163 07	18.52
110/90	11 057 1190 07	18.52

### Female Adaptor

BSP or NPT threaded

20 x 1/2	11 034 2020 07	7.04
25 x 3/4	11 034 2525 07	7.94
32 x 1	11 034 3232 07	10.36
40 x 1 1/4	11 034 4040 07	11.84
50 x 1 1/2	11 034 5050 07	18.65
63 x 2	11 034 6363 07	23.38

Code shown is for BSP.

Code for NPT on request.

### Male Adaptor


BSP or NPT threaded

20 x 3/4	11 035 2025 07	6.63
25 x 1	11 035 2532 07	8.28
32 x 1 1/4	11 035 3240 07	9.96
40 x 1 1/2	11 035 4050 07	16.43
50 x 2	11 035 5063 07	20.74

Code shown is for BSP

Code for NPT on request

### Cap



20	11 054 0020 07	2.44
25	11 054 0025 07	2.57
32	11 054 0032 07	2.86
40	11 054 0040 07	3.69
50	11 054 0050 07	4.74
63	11 054 0063 07	6.54
75	11 054 0075 07	10.58
90	11 054 0090 07	14.62
110	11 054 0110 07	19.49

### Union

FPM O-Rings

20	11 024 1120 07	9.40
25	11 024 1125 07	10.24
32	11 024 1132 07	12.24
40	11 024 1140 07	17.42
50	11 024 1150 07	24.50
63	11 024 1163 07	33.40



### Pressure Ratings

Maximum working pressures (socket fusion):  
All sizes PN10

## Stub Flange

DIN or ANSI standards

20	11 052 0020 07	1.82
25	11 052 0025 07	1.95
32	11 052 0032 07	2.16
40	11 052 0040 07	2.66
50	11 052 0050 07	3.13
63	11 052 0063 07	4.12
75	11 052 0075 07	9.05
90	11 052 0090 07	12.75
110	11 052 0110 07	17.97

Code shown is for DIN.  
ANSI code on request.

## Blind Flange

Polypropylene with steel core drilled to BS4504 NP10/16 - black

20	14 045 0020 11	44.54
25	14 045 0025 11	45.24
32	14 045 0032 11	46.36
40	14 045 0040 11	49.70
50	14 045 0050 11	56.23
63	14 045 0063 11	61.24
75	14 045 0075 11	71.67
90	14 045 0090 11	78.92
110	14 045 0110 11	107.72

## Blind Flange

Polypropylene with steel core drilled to ANSI 150 - grey

20	11 043 0020 11	55.67
25	11 043 0025 11	56.50
32	11 043 0032 11	57.89
40	11 043 0040 11	62.08
50	11 043 0050 11	70.29
63	11 043 0063 11	76.55
75	11 043 0075 11	87.41
90	11 043 0090 11	98.53
110	11 043 0110 11	134.73

## Gasket

EPDM

20	861-_-005	0.47
25	861-_-007	0.55
32	861-_-010	0.60
40	861-_-012	0.75
50	861-_-015	0.91
63	861-_-020	1.56
75	861-_-025	1.91
90	861-_-030	2.05
110	861-_-040	2.98

Complete code when ordering  
Insert 'ISO' for NP10/16; 'A' for ANSI 150; 'E' for Table D/E

## Gasket

FPM

20	862-_-005	2.21
25	862-_-007	3.28
32	862-_-010	4.33
40	862-_-012	6.94
50	862-_-015	7.59
63	862-_-020	10.00
75	862-_-025	14.47
90	862-_-030	18.88
110	862-_-040	32.21

Complete code when ordering  
Insert 'ISO' for NP10/16; 'A' for ANSI 150; 'E' for Table D/E

## Backing Ring Table D/E

Galvanised mild steel

20	860-005-11E	5.39
25	860-007-11E	6.10
32	860-010-11E	6.41
40	860-012-11E	6.60
50	860-015-11E	8.10
63	860-020-11E	11.49
75	860-025-11E	17.17
90	860-030-11E	17.45
110 D	860-040-11D	22.56
110 E	860-040-11E	22.56

## Backing Ring NP10/16

Galvanised mild steel

20	860-005-11NP	6.10
25	860-007-11NP	6.46
32	860-010-11NP	7.53
40	860-012-11NP	8.00
50	860-015-11NP	8.94
63	860-020-11NP	12.63
75	860-025-11NP	17.29
90	860-030-11NP	20.00
110	860-040-11NP	25.11

## Backing Ring ASA 150

Galvanised mild steel

20	860-005-11A	6.10
25	860-007-11A	6.46
32	860-010-11A	7.53
40	860-012-11A	8.00
50	860-015-11A	8.94
63	860-020-11A	12.63
75	860-025-11A	17.29
90	860-030-11A	20.00
110	860-040-11A	25.11

## Backing Ring NP10

Polypropylene with steel core

20	11 014 0020 11	6.41
25	11 014 0025 11	7.04
32	11 014 0032 11	9.01
40	11 014 0040 11	11.42
50	11 014 0050 11	13.34
63	11 014 0063 11	15.47
75	11 014 0075 11	17.17
90	11 014 0090 11	20.28
110	11 014 0110 11	24.12

## Backing Ring ASA 150

Polypropylene with steel core

20	11 013 0020 11	6.41
25	11 013 0025 11	7.04
32	11 013 0032 11	9.01
40	11 013 0040 11	11.42
50	11 013 0050 11	13.34
63	11 013 0063 11	15.47
75	11 013 0075 11	17.17
90	11 013 0090 11	20.28
110	11 013 0110 11	24.12



### Durapipe Polypropylene

Durapipe PP industrial pipes, fittings, manual and actuated valves are available on request. Please enquire for information on the range and for latest prices.